UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/594,764	09/29/2006	Hitoshi Hata	297119US0PCT	6726
22850 7590 10/15/2010 OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, L.L.P. 1940 DUKE STREET			EXAMINER	
			OLADAPO, TAIWO	
ALEXANDRIA, VA 22314			ART UNIT	PAPER NUMBER
			1771	
			NOTIFICATION DATE	DELIVERY MODE
			10/15/2010	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com oblonpat@oblon.com jgardner@oblon.com

	Application No.	Applicant(s)				
	10/594,764	HATA ET AL.				
Office Action Summary	Examiner	Art Unit				
	TAIWO OLADAPO	1771				
The MAILING DATE of this communication appeariod for Reply	pears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)⊠ Responsive to communication(s) filed on <u>27 A</u>	August 2010.					
	s action is non-final.					
· <u> </u>	/ -					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
 4) Claim(s) 1,4,6-12,15 and 17-26 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1,4,6-12,15 and 17-26 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. 						
Application Papers						
9)☐ The specification is objected to by the Examiner.						
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s) 1) ☑ Notice of References Cited (PTO-892)	4) ☐ Interview Summary	(PTO-413)				
2) Notice of Treferences Cited (PTO-052) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate				

Art Unit: 1797

DETAILED ACTION

1. The amendment dated 08/27/2010 has been considered and entered for the record. The amendment overcomes the previous rejections which are withdrawn. New grounds of rejection are made in view of the amendments.

Continued Examination Under 37 CFR 1.114

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 08/27/2010 has been entered.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.

Art Unit: 1797

2. Ascertaining the differences between the prior art and the claims at issue.

- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 5. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 6. Claims 1, 6, 8 12, 19, 21, 23, 26, are rejected under 35 U.S.C. 103(a) as being unpatentable over Tipton (US 6,372,696) in view of Tsubouchi et al. (WO 2003031964A1) and in view of Watts et al. (US 6,337,309). A US equivalent (US 2005/0090739) for Tsubouchi et al. is used for the rejections.
- 7. In regards to claims 1, 26, Tipton teaches lubricating automotive traction fluids such as in automatic or continuously variable transmissions (CVT) (column 1 lines 4 17) comprising a base fluid of a type 1 or a type 2 or mixtures, wherein the base fluid of type 2 can be polymers such as dimers, trimers, tetramers of norbornanes (column 3 lines 8 22).

Tipton teaches that the lubricant has kinematic viscosities at 40°C in the range that meets the limitations of claim 1 (see column 19 & 20 table). Tipton also teaches the lubricant contains phosphorus compounds, including esters (column 11 lines 35-42). Tipton does not teach phosphoric esters containing a thioether bond. Tipton also does not particularly recite 2-methyl-

Art Unit: 1797

3-methyl-2-[(3-methylbicyclo[2.2.1] hepto-2yl)methyl]bicyclo[2.2.1]heptane, which has the structure;

2-methyl-3-methyl-2-[(3-methylbicyclo[2.2.1]hepta-2-yl)methyl]bicyclo[2.2.1]heptane

Tsubouchi teaches fluids for transmission medium similar to Tipton [0015]. Tsubouchi teaches the fluids can comprise 2-methyl-3-methyl-2[(3-methylbicyclo[2,2,1]hept-2-yl)methyl]bicycle-[2,2,1]heptane which is the compound of the structure claimed [0022]. Therefore, baseoils comprising the norbornanes of the structure recited in Tsubouchi and Tipton combined would possess the cohesive energy densities recited in the claims.

Watts teaches a CVT fluid similar to the invention of Tipton [0001]. Watts teaches that the fluid contains phosphorus esters of a structure I having hydrocarbyl groups R and R_1 which contains thioether bonds (column 5 lines 45 - 59). The hydrocarbyl groups contain from alkyl or aryl groups, wherein the alkyl group can be decyl which is a C_{10} group (column 6 lines 13 - 26). The compound meets the limitations of the phosphorus ester compound of claim 4, wherein A is hydrogen and R^7 , R^8 are decyl groups having thioether bonds. Watts teaches the phosphorus ester can be present in a lubricant at from 0.01 to 5% by mass which is equivalent to 100ppm to 50,000ppm (column 6 lines 32 - 35). In Example P-1-A, the phosphorus ester is prepared and the final product comprises 8.4% phosphorus, which amounts to from 8ppm to 4000ppm of phosphorus in the lubricant and overlaps the limitation of claim 1 (column 6 lines 42 - 59).

Art Unit: 1797

In the case where the claimed ranges "overlap or lie inside ranges disclosed by the prior art" a prima facie case of obviousness exists. *In re Wertheim*, 541 F.2d 257, 191 USPQ 90 (CCPA 1976); *In re Woodruff*, 919 F.2d 1575, 16 USPQ2d 1934 (Fed. Cir. 1990).

It would have been obvious for one of ordinary skill in the art at the time of the invention to have used the thioether bond-containing phosphite ester of Watts as the phosphorus compound in the lubricating oil of Tipton, and to have used the polymers of Tsubouchi as base fluids in the lubricant of Tipton, as they are suitably used in transmission lubricants.

- 8. In regards to claim 6, 11, Tipton, Tsubouchi and Watts combined teach the lubricant having overbased calcium sulfonate (Tipton, column 21 table). Tipton teaches that the overbased compounds have base values (mg KOH/g) of preferably 100 and up to preferably 400 (column 8 lines 28 41).
- 9. In regards to claim 8 10, 12, Tipton, Tsubouchi and Watts combined teach the lubricating oil composition for continuously variable transmission comprising the limitations of claim 1 as previously stated. The fluid is therefore suitable for the intended use as metallic belt, traction drive, or chain type CVT lubricant according to the instant invention.

The claims are product claims that are drawn to a composition of matter and therefore statements of intended use do not carry any patentable weight. The reference teaches the compositional limitations of claims 8-10.

10. In regards to claims 19, 21, 23, Tipton, Tsubouchi and Watts combined teach the lubricating oil composition. Tipton teaches the lubricant can comprises additives such as detergents including sulfonates, phenates and carboxylates, i.e., calcium overbased sulfonate detergent, which is present at from 0.05 up to 5% of the composition; viscosity modifier in

Application/Control Number: 10/594,764

Art Unit: 1797

amounts of up to 10% by weight of the composition (column 13 lines 7 - 20), and phosphorus compounds such as thiophosphates (column 14 lines 5 - 15). The amount of viscosity modifier present meets the limitations of component (E) of the claim. Watts teaches detergent is present as calcium phenate which provides less than 500 ppm of calcium to the composition. It will be obvious to use similar sulfonates detergents depositing similar calcium contents to the oil. The calcium content overlaps the limitation of component (C) of the claim.

Page 6

- Claims 20, 22, 24, 25, are rejected under 35 U.S.C. 103(a) as being unpatentable over Tipton (US 6,372,696) in view of Tsubouchi et al. (WO 2003031964A1) in view of Watts et al. (US 6,337,309) and further in view of Sowerby et al. (US 2002/0183210)
- 12. In regards to claims 20, 22, 24, 25, Tipton, Tsubouchi and Watts combined teach the lubricating oil composition wherein the composition has ingredients in amounts meeting the limitations of component (C) and (E) and comprises thiophosphates but do not particularly recite the amount of thiophosphates in the composition. Sowerby teaches traction fluids for lubricating transmissions similar to Tipton (title, claim 17). Sowerby teaches the fluid can comprise zinc phosphate salts such as zinc dithiophosphates which is present in the lubricating oil in amounts of from 0.05 to 1 weight percent of the lubricant composition which overlaps the limitations of component D [0035, 0037, and 0047]. It would have been obvious for one of ordinary skill in the art at the time of the invention to have use the amount of thiophosphates taught by Sowerby in the lubricant of Tipton, Tsubouchi and Watts combined, as they are suitable amounts for use in traction fluids.

Art Unit: 1797

13. Claims 4, 15, 17, 18, are rejected under 35 U.S.C. 103(a) as being unpatentable over Tipton (US 6,372,696) in view of Tsubouchi et al. (WO 2003031964A1) in view of Watts et al. (US 6,337,309) and further in view of Hata et al. (US 2002/0055441)

14. In regards to claims 4, 15, 17, 18, Tipton, Tsubouchi and Watts combined teach the composition wherein the base oils are dimers, trimers and tetramers of norbonanes having the cohesive energy density of the claims. The combined references do not particularly recite the phosphate compounds of claims.

Hata is added to teach CVT lubricants similar to Tipton [0002]. Hata teaches phosphates having a structure of formula (I) or (I-a) which comprises R groups that are 1 to 18 carbon atoms and can comprise one or more sulfur atoms which meets the limitation of the structure recited in the claim [0026, 0034]. The compounds are mono or di-(octylthioethyl)hydrogen phosphate, mono or di-(hexylthioethyl)hydrogen phosphate, mono or di-(dodecylthioethyl)hydrogen phosphate , mono or di-(hexadecylthioethyl)hydrogen phosphate etc. which meets the limitations of the compounds of claim 18. The phosphates of Tipton also meets the hydrogen phosphate structure of claim 17 which requires that the R groups be hydrocarbon having 1 to 18 carbons and having a thioether bond. Tipton also teaches phosphite esters meeting the limitations of claim 15 [0037, (I-b)]. The fluid comprises a phosphorus content of from 100 to 600 ppm contributed by the phosphate which is within the claimed limitation [0028].

It would have been obvious for one of ordinary skill in the art at the time of the invention to have used the phosphates of Hata in the composition of Tipton, Tsubouchi and Watts combined, as Hata teaches they are suitable for use in transmission lubricants.

Art Unit: 1797

15. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tipton (US 6,372,696) in view of Tsubouchi et al. (WO 2003031964A1) in view of Watts et al. (US 6,337,309) and further in view of Conary et al. (US 6,096,691)

16. In regards to claim 7, Tipton and Watts teach the lubricating oil composition for continuously variable transmissions. Tipton, Tsubouchi and Watts combined teach that the lubricating oil containing optional additives such as antiwear (Tipton, column 21 line 25) but does not particularly recite a sulfur antiwear.

Conary teaches gear oil additives and lubricants containing them (Title) similar to the invention of Tipton, Tsubouchi and Watts combined. Conary teaches that the additives can be, i.e. sulfur antiwear (column 1 line 35; column 17 lines 10 - 12).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have used sulfur antiwear additives in the composition according to Tipton, Tsubouchi and Watts combined, as Conary teaches it is a suitable antiwear additive for transmission or gear lubricating oils.

Response to Arguments

- 17. Applicant's arguments have been considered but they are moot in view of new grounds of rejection.
- 18. The applicants have amended the claims to recite specific norbornenes which overcomes the previous rejections. However, in view of new rejections over Tipton (US 6,372,696) in view of Tsubouchi et al. (WO 2003031964A1) in view of Watts et al. (US 6,337,309), and further in

view of Sowerby et al. (US 2002/0183210), Hata et al. (US 2002/0055441) pr Conary et al. (US 6,096,691) which meet the claimed limitations. Therefore the arguments are moot.

Conclusion

19. A STN structure search was made for the equivalent structure of the claimed norbornene compound. The results of the search are attached.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to TAIWO OLADAPO whose telephone number is (571)270-3723. The examiner can normally be reached on 8:00 - 4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Caldarola can be reached on (571)272-1444. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

TO

/Ellen M McAvoy/ Primary Examiner, Art Unit 1797